

Introduction to Propositional Logic in Boolean Algebra

Lesson Snapshot

- Class context: Grade 12 Computer Science
- Topic focus: Propositional logic, well-formed formulae, truth values and interpretation, truth tables.
- Duration: 40 minutes
- Teaching style: interactive

Learning Outcomes

- Define what a proposition is and identify simple propositions.
- Construct well-formed formulae (wff) using logical connectives.
- Determine the truth values of simple and compound propositions.
- Construct truth tables for given well-formed formulae.

Prerequisite Recall

- Basic understanding of true/false statements.
- Familiarity with logical reasoning in everyday context.

Materials and Setup

- Whiteboard or blackboard and markers/chalk.
- Computer Science textbook (if available, for reference).
- Chart paper or printouts of basic truth tables (optional for quick reference).

Lesson Flow

Opening Hook & Introduction (5 minutes)

Teacher actions

- Begin by asking students how computers make decisions.
- Introduce the concept of Boolean Algebra as the foundation for digital logic and computer decisions (true/false, on/off).
-

Explain that today's lesson will focus on propositional logic, the building blocks of Boolean Algebra.

Student actions

- Participate in discussion, offering ideas on computer decisions.
- Listen attentively to the introduction.

Concept Development: Propositions and Well-Formed Formulae (wff) (10 minutes)

Teacher actions

- Define a 'proposition' as a declarative sentence that is either true or false, but not both. Provide examples like 'Delhi is the capital of India' (True) and ' $2 + 2 = 5$ ' (False).
- Ask students to provide examples of propositions and non-propositions.
- Introduce logical connectives: NOT ($\neg$), AND ($\wedge$), OR ($\vee$).
- Explain how propositions combine to form 'well-formed formulae' (wff) using these connectives. E.g., ' $P \vee Q$ ', ' P '.
- Emphasize the importance of parentheses for clarity in wff, e.g., ' $(P \vee Q) \wedge R$ '.

Student actions

- Provide examples of propositions and non-propositions.
- Understand the definition of proposition and wff.
- Note down the logical connectives and their symbols.

Truth Values and Interpretation (10 minutes)

Teacher actions

- Explain that each proposition has a 'truth value' (True/T or False/F).
- Demonstrate how to interpret simple wff by assigning truth values to variables and then evaluating the expression.
- Work through an example: If P is True and Q is False, what is the truth value of ' $P \vee Q$ ' and ' $P \wedge Q$ '?
- Introduce truth tables as a systematic way to show all possible truth values of a wff.

Student actions

- Understand truth values.
- Follow the worked example for interpreting wff.
- Ask clarifying questions about interpretation.

Constructing Truth Tables (Worked Example & Guided Practice) (10 minutes)

Teacher actions

- Work through a complete example of constructing a truth table for a compound wff, e.g., ' $(P \rightarrow Q)$ '.
- Guide students step-by-step: list variables, list intermediate columns (P , Q), then the final expression ($(P \rightarrow Q)$).
- Provide a simple wff for students to construct a truth table in pairs/individually (e.g., ' $P \rightarrow Q$ ').
- Circulate and provide assistance, checking for understanding.

Student actions

- Observe and follow the teacher's example of truth table construction.
- Collaborate with peers or work individually to construct a truth table for the given wff.
- Seek help if stuck.

Closure & Quick Check (5 minutes)

Teacher actions

- Summarize the key concepts covered: propositions, wff, logical connectives, truth values, and truth tables.
- Ask quick questions to check for immediate understanding.
- Assign a short homework exercise to reinforce learning (e.g., construct truth tables for two simple wff).

Student actions

- Participate in the quick Q&A.
- Note down the homework assignment.

Teacher Questions

- What makes a sentence a 'proposition'?
- If 'P' is 'It is raining' (True) and 'Q' is 'The sun is shining' (False), what is the truth value of ' $P \rightarrow Q$ '?
- Why do we need truth tables?
- Can you give an example of a well-formed formula?

Common Misconceptions

- Confusing declarative sentences with questions or commands as propositions.
- Incorrectly applying the truth conditions for AND ($\wedge$) and OR ($\vee$).
- Omitting parentheses in wff, leading to ambiguity in interpretation.
- Errors in systematically listing all possible truth value combinations in a truth table.

Recap

- Today, we explored propositional logic, which forms the bedrock of digital computing decisions.

- We learned about propositions as statements with definitive true/false values, and how to combine them into well-formed formulae using logical connectives like NOT, AND, and OR.
- Understanding truth values and systematically constructing truth tables are crucial skills for analyzing and designing logic circuits.